

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2000219-1
Report Reference E508068-20200622
Date 15-Jul-2020

Issued to: Lumen Warm Inc
2022 Rue Lavoisier, Local 208 Quebec , QC,
Canada G1N 4L5

**This is to certify that
representative samples of**

IFDR7 - Low-voltage Lighting Systems, Power Units,
Luminaires and Fittings Certified for Canada
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 250.0-08, 3rd Ed., Issue Date: 2008-09-01,
Revision Date: 2012-10-17, CSA C22.2 NO. 9.0-96, 1st Ed.,
Issue Date: 1996-01-01, Revision Date: 2006-01-01

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

UL-CA-2000219-1
E508068-20200622



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2000219-1
Report Reference E508068-20200622
Date 15-Jul-2020

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

| Model | Category Description |
|--|------------------------------|
| Connor (LWCR) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Doby (LWDY) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Jacta (LWJA) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Jaxson (LWJX) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Julia (LWJL) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Myla (LWMY) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Nyxan (LWNY) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Olivia (LWOL) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Palazo (LWPA) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Pola (LWPL) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color | Low Voltage Lighting Systems |



Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2000219-1
Report Reference E508068-20200622
Date 15-Jul-2020

| | |
|--|------------------------------|
| changing, etc.... | |
| Robertha (LWRB) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Rocco (LWRC) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Venga (LWVG) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Venga Slim (LWVGSM) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Kyoko (LWKY) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Kaiwa (LWKW) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Maria (LWMR) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2000446-0
Report Reference E508068-20200622
Date 15-Jul-2020

Issued to: Lumen Warm Inc
2022 Rue Lavoisier, Local 208 Quebec , QC,
Canada G1N 4L5

**This is to certify that
representative samples of**

IFDR - Low-voltage Lighting Systems, Power Units,
Luminaires and Fittings

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 2108, 2nd Ed., Issue Date: 2015-12-07, Revision Date:
2019-12-06

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC




Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2000446-0
Report Reference E508068-20200622
Date 15-Jul-2020

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

| Model | Category Description |
|--|------------------------------|
| Connor (LWCR) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Doby (LWDY) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Jacta (LWJA) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Jaxson (LWJX) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Julia (LWJL) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Myla (LWMY) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Nyxan (LWNY) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Olivia (LWOL) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Palazo (LWPA) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Pola (LWPL) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color | Low Voltage Lighting Systems |



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2000446-0
Report Reference E508068-20200622
Date 15-Jul-2020

| | |
|--|------------------------------|
| changing, etc.... | |
| Robertha (LWRB) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Rocco (LWRC) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Venga (LWVG) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Venga Slim (LWVGSM) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Kyoko (LWKY) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Kaiwa (LWKW) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |
| Maria (LWMR) XX-AA, XX: for temperature LED Color: 1400K, to 9900K AA: RG = RGB color changing, RW = RGB white color changing, etc.... | Low Voltage Lighting Systems |



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

