

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2137348-0
Report Reference E520543-20210729
Date 5-Aug-2021

Issued to: Lumen Warm Inc
2022 Rue Lavoisier, Local 208 Quebec, QC
Canada G1N 4L5

**This is to certify that
representative samples of**

IFAM - Light-emitting-diode Surface-mounted Luminaires
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1598, 4th Ed., Issue Date: 2018-08-28

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2137348-0
Report Reference E520543-20210729
Date 5-Aug-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
<p>EROSG-E-J-F-A-B-L-P, G = Direct, Not available with Letter (E) DI: Direct/Indirect</p> <p>E = lumens down (0-1400) lumens per foot</p> <p>J = CRI = (80 or 90)</p> <p>F = temperature LED Color: (1800K TO 6000K)</p> <p>A = Linear Length 5, 6, 7, 8, 9, 10, 11, 12 feet</p> <p>B = Color of Luminaire: CU= any color</p> <p>L = Luminaire voltage (120/277 VAC)</p> <p>P = Dimming</p>	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2131204-0
Report Reference E520543-20210729
Date 5-Aug-2021

Issued to: Lumen Warm Inc
2022 Rue Lavoisier, Local 208 Quebec, QC
Canada G1N 4L5

**This is to certify that
representative samples of**

IFAM7 - Light-emitting-diode Surface-mounted Luminaires
Certified for Canada

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 250.0-18, 4th Ed., Issue Date: 2018-08-28

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2131204-0
Report Reference E520543-20210729
Date 5-Aug-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
<p>EROSG-E-J-F-A-B-L-P, G = Direct, Not available with Letter (E) DI: Direct/Indirect</p> <p>E = lumens down (0-1400) lumens per foot</p> <p>J = CRI = (80 or 90)</p> <p>F = temperature LED Color: (1800K TO 6000K)</p> <p>A = Linear Length 5, 6, 7, 8, 9, 10, 11, 12 feet</p> <p>B = Color of Luminaire: CU= any color</p> <p>L = Luminaire voltage (120/277 VAC)</p> <p>P = Dimming</p>	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

