


PROJECT:

TYPE:

QTY:



## Arkalux Profile



Available in a variety of light intensities and application methods, our Low Voltage Linear Solutions are widely versatile. They can be used either for their functionality, as design elements in a room or both.




### Highlights

<b>Mounting</b>	Prefabricated coves
<b>Material</b>	Aluminum Extrusion (6063-T5)
<b>Features</b>	Versatile, energy efficient & durable
<b>Recommended for</b>	Cove lighting

### Dimensions



### Aluminum Profile Colour



MF - Mill Finish

### Ordering Guide

Ex : LWAK-FIE-48IN-MF-WFI

Product Code	Length	Aluminum Profile Colour	Lens Options
<b>LWAK-FIE</b>			
	<b>48IN</b> 48in <b>96IN</b> 96in	<b>MF</b> Mill Finish	<b>WFI</b> White Frosted Inserted Lens <b>NA</b> None
Refer to page 2 for Lens Options			

### Notes

**LUMEN WARM**

TOLL FREE 1 866 586 3692  
TEL 514 286 0227  
info@lumenwarm.com

OFFICE AND SHOWROOM  
155 Fortin Street, Suite 180, Quebec  
City, QC G1M 3M2, Canada

LAST UPDATE  
17/07/2024

# Technical Information

## Lens Options




**WFI**  
White Frosted Inserted Lens

## LED Visibility & Light Loss Factor




**WFI**  
White Frosted Inserted Lens  
Diffused  
Light Loss: 35%

## Tray Placement



## Joining Accessory

### Straight




### Details and Ordering

<b>Code</b>	JNR-P91-012- - -
	To order joining accessories, specify the desired colour by referring to the "Colour" section below.
<b>Material</b>	Zinc Steel
<b>Colour</b>	<b>MBK</b> - Matte Black <b>MWH</b> - Matte White

## Patterns


### Outside Corner



### Details and Ordering

<b>Code</b>	SHP-P19-001
<b>Material</b>	Aluminum Extrusion (6063-T5)

### Inside Corner



### Details and Ordering

<b>Code</b>	SHP-P19-002
<b>Material</b>	Aluminum Extrusion (6063-T5)

# Technical Information

## Available LED Strips

Static White (Click for linked document)	Lumen Output	Consumption
<a href="#">LWHPC120</a>	120lm/ft - 393.6lm/m	0.91W/ft - 3W/m
<a href="#">LWHPC290</a>	290lm/ft - 951.2lm/m	2.59W/ft - 8.5W/m
<a href="#">LWHPC420</a>	420lm/ft - 1377.6lm/m	3.51W/ft - 11.52W/m
<a href="#">LWHPC700</a>	700lm/ft - 2296lm/m	5.85W/ft - 19.2W/m
<a href="#">LWHP900</a>	900lm/ft - 2952lm/m	6.59W/ft - 21.6W/m
<a href="#">LWHE1150</a>	1150lm/ft - 3772lm/m	7.32W/ft - 24W/m
<a href="#">LWHE1400</a>	1400lm/ft - 4592lm/m	8.78W/ft - 28.8W/m
Dim to Warm (Click for linked document)	Lumen Output	Consumption
<a href="#">LWD2W480</a>	480lm/ft - 1574.4lm/m	5.27W/ft - 17.28W/m
Tunable White (Click for linked document)	Lumen Output	Consumption
<a href="#">LWTW220</a>	220lm/ft - 721.6lm/m	3.05W/ft - 10W/m
<a href="#">LWTW300</a>	300lm/ft - 984lm/m	4.57W/ft - 15W/m
RGBW (Click for linked document)	Lumen Output	Consumption
<a href="#">LWRGBW250</a>	250lm/ft - 820lm/m	4.68W/ft - 15.36W/m